L Number	Hits	Search Text	DB	Time stamp
1	73789	((graphical user) adj1 interface) gui	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 17:16
2	1	(((graphical user) adj1 interface) gui) with (customiz$6 configura$4 reconfigur$6) with age	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 17:17
3	4541	(((graphical user) adj1 interface) gui) with (customiz$6 configura$4 reconfigur$6) with (user operator customer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 17:49
4	112054	(user customer operator) near1 (profile data information)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 18:12
5	2398	((((graphical user) adj1 interface) gui) with (customiz$6 configura$4 reconfigur$6) with (user operator customer)) and ((user customer operator) near1 (profile data information))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 17:20
6	712	(((((graphical user) adj1 interface) gui) with (customiz$6 configura$4 reconfigur$6) with (user operator customer)) and ((user customer operator) near1 (profile data information))) and (adult teen$5 child$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 17:21
7	560	(((((graphical user) adj1 interface) gui) with (customiz$6 configura$4 reconfigur$6) with (user operator customer)) and ((user customer operator) near1 (profile data information))) and (adult parent) and (teen$5 child$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 17:23
8	51	((user customer operator) near1 (profile data information)) with (adult parent) with (teen$5 child$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 17:24
9	5	((((graphical user) adj1 interface) gui) with (customiz$6 configura$4 reconfigur$6) with (user operator customer)) and (((user customer operator) near1 (profile data information)) with (adult parent) with (teen$5 child$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 17:23
10	305	((user customer operator) near1 (profile data information)) with (adult parent teen$5 child$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 18:06
11	20	((((graphical user) adj1 interface) gui) with (customiz$6 configura$4 reconfigur$6) with (user operator customer)) and (((user customer operator) near1 (profile data information)) with (adult parent teen$5 child$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 17:25
12	1637	(((graphical user) adj1 interface) gui) with (customiz$6) with (user operator customer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 17:30
13	13	((((graphical user) adj1 interface) gui) with (customiz$6) with (user operator customer)) and ((user customer operator) near1 (profile data information)) and (((user customer operator) near1 (profile data information)) with (adult parent teen$5 child$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 17:30

14	378756	adult parent teen$5 child$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 17:31
15	362	((((graphical user) adj1 interface) gui) with (customiz$6) with (user operator customer)) and ((user customer operator) near1 (profile data information)) and (adult parent teen$5 child$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 17:32
16	31641	(user customer) near1 (id identification name)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 17:48
17	196	(((((graphical user) adj1 interface) gui) with (customiz$6) with (user operator customer)) and ((user customer operator) near1 (profile data information)) and (adult parent teen$5 child$3)) and ((user customer) near1 (id identification name))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 17:33
18	52	((((((graphical user) adj1 interface) gui) with (customiz$6) with (user operator customer)) and ((user customer operator) near1 (profile data information)) and (adult parent teen$5 child$3)) and ((user customer) near1 (id identification name))) and (toolbar (tool adj1 bar))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 17:50
19	96	((user customer operator) near1 (profile data information)) same (adult parent teen$5 child$3) same ((user customer) near1 (id identification name))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 17:47
20	8	((((graphical user) adj1 interface) gui) with (customiz$6 configura$4 reconfigur$6) with (user operator customer)) and (((user customer operator) near1 (profile data information)) same (adult parent teen$5 child$3) same ((user customer) near1 (id identification name)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 17:44
21	2181	((user customer operator) near1 (profile data information)) same (age (adult parent teen$5 child$3) adult$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 17:48
22	42994	(user consumer customer) near2 (id identification name)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 17:49
23	4529	(((graphical user) adj1 interface) gui) with (customiz$6 configura$4 reconfigur$6) with (user consumer customer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 18:14
25	10	((((user customer operator) near1 (profile data information)) same (age (adult parent teen$5 child$3) adult$4)) and ((user consumer customer) near2 (id identification name)) and ((((graphical user) adj1 interface) gui) with (customiz$6 configura$4 reconfigur$6) with (user consumer customer))) and (toolbar (tool adj1 (menubar)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 18:15
24	71	(((user customer operator) near1 (profile data information)) same (age (adult parent teen$5 child$3) adult$4)) and ((user consumer customer) near2 (id identification name)) and ((((graphical user) adj1 interface) gui) with (customiz$6 configura$4 reconfigur$6) with (user consumer customer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 17:52

26	43	((user customer operator) near1 (profile data information)) with (adult teen$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 18:08
27	882	((user customer operator) near1 (profile data information)) with (adult$4 age teen$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 18:10
28	2	((((graphical user) adj1 interface) gui) with (customiz$6 configura$4 reconfigur$6) with (user operator customer)) same (((user customer operator) near1 (profile data information)) with (adult$4 age teen$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 18:10
29	28	((((graphical user) adj1 interface) gui) with (customiz$6 configura$4 reconfigur$6) with (user operator customer)) and (((user customer operator) near1 (profile data information)) with (adult$4 age teen$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 18:10
30	113380	(user customer operator) near1 (adult$4 age teen$4 profile data information)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 18:14
31	202	(((graphical user) adj1 interface) gui) with (customiz$6 configura$4 reconfigur$6) with ((user customer operator) near1 (adult$4 age teen$4 profile data information))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 18:15
32	20	(((((user customer operator) near1 (profile data information)) same (age (adult parent teen$5 child$3) adult$4)) and ((user consumer customer) near2 (id identification name)) and ((((graphical user) adj1 interface) gui) with (customiz$6 configura$4 reconfigur$6) with (user consumer customer))) ((((graphical user) adj1 interface) gui) with (customiz$6 configura$4 reconfigur$6) with ((user customer operator) near1 (adult$4 age teen$4 profile data information))))) and (toolbar (tool adj1 (menu bar)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 18:20
33	27	(((((user customer operator) near1 (profile data information)) same (age (adult parent teen$5 child$3) adult$4)) and ((user consumer customer) near2 (id identification name)) and ((((graphical user) adj1 interface) gui) with (customiz$6 configura$4 reconfigur$6) with (user consumer customer))) ((((graphical user) adj1 interface) gui) with (customiz$6 configura$4 reconfigur$6) with ((user customer operator) near1 (adult$4 age teen$4 profile data information))))) and (menubar (menu adj1 bar))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 18:21

| 34 | 21 | (((((user customer operator) near1 (profile data information)) same (age (adult parent teen$5 child$3) adult$4)) and ((user consumer customer) near2 (id identification name)) and ((((graphical user) adj1 interface) gui) with (customiz$6 configura$4 reconfigur$6) with (user consumer customer))) ((((graphical user) adj1 interface) gui) with (customiz$6 configura$4 reconfigur$6) with ((user customer operator) near1 (adult$4 age teen$4 profile data information)))) and (menubar (menu adj1 bar))) not ((((((user customer operator) near1 (profile data information)) same (age (adult parent teen$5 child$3) adult$4)) and ((user consumer customer) near2 (id identification name)) and ((((graphical user) adj1 interface) gui) with (customiz$6 configura$4 reconfigur$6) with (user consumer customer))) ((((graphical user) adj1 interface) gui) with (customiz$6 configura$4 reconfigur$6) with ((user customer operator) near1 (adult$4 age teen$4 profile data information)))) and (toolbar (tool adj1 (menu bar)))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/03/07 18:21 |